



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PROCEEDINGS
OF THE
AMERICAN ACADEMY
OF
ARTS AND SCIENCES.

NEW SERIES.

VOL. I.

WHOLE SERIES.

VOL. IX.

FROM MAY, 1873, TO MAY, 1874.

SELECTED FROM THE RECORDS.

BOSTON:
PRESS OF JOHN WILSON AND SON.
1874.

INDEX TO VOL. I.

A.

Acarphæa, 200.
Achyropappus, 199.
 Woodhousei, 199.
Actinea integrifolia, 201, 205.
Actinolepis, 197.
 anthemoides, 197.
 coronaria, 197.
 lanosa, 198.
 nivea, 198.
 multicaulis, 198.
 mutica, 198.
 tenella, 198.
 Wallacei, 198.
Adams, C. F., Address as President, 297.
Amblyolepis, 201.
Ambrina Botrys, 98.
 ambrosioides, 98.
 anthelmintica, 98.
Amida, 187.
 gracilis, 189.
 hirsuta, 189.
Amoreuxia platyphylla, 92.
Anisocarpus, 187.
 Bolanderi, 188.
 madioides, 188.
Antimony, atomic weight, 299.
Aphanisma, 84, 90.
 blitoides, 90.
Appropriations, 231, 298, 302.
Arctium, 207.
Artemisia, 205.
 Californica, 205.
 Norvegica, 205.
 potentilloides, 204.
 tridentata, 205.
Arthrocnemum, 125.
 ambiguum, 125.
 fruticosum, 125, 126.
 macrostachyum, 126.

Asexual Growth from Fern Prothallus, 68.

Asmanite, 63.

Atriplex, 83, 84, 103.

acanthocarpa, 105, 117.

Alaskensis, 103, 108.

angustifolia, 107, 109.

arenaria, 104, 112.

argentea, 105, 115.

Barclayana, 105, 113.

Berlandieri, 120.

bracteosa, 105, 115.

Breweri, 106, 119.

Californica, 104, 110.

canescens, 106, 120.

confertifolia, 106, 119.

coronata, 105, 114.

Coulteri, 105, 113.

cristata, 105, 114.

elegans, 105, 114.

Endolepis, 104, 110.

expansa, 105, 116.

Gmelini, 83, 104, 109.

Gordonii, 116.

Greggii, 106, 118.

hastata, 107.

hortensis, 83, 103.

hymenelytra, 106, 119.

laciniata, 107.

lentiformis, 106, 118.

leucophylla, 105, 117.

littoralis, 107, 109.

microcarpa, 104, 112.

monilifera, 104, 111.

Nuttallii, 105, 116.

occidentalis, 120.

oppositifolia, 106, 118.

patula, 103, 106.

phyllostegia, 103, 108.

polycarpa, 106, 117.

Powellii, 105, 114.

Purshiana, 107.

Atriplex pusilla, 104, 110.
rosea, 103, 108.
saccaria, 104, 112.
spicata, 103, 108.
spinosa, 119.
Suckleyana, 104, 111.
Texana, 104, 113.
Torreyi, 106, 119.
truncata, 104, 111.
Wolfii, 104, 112.
Wrightii, 104, 113.
zosteræfolia, 104, 109
Atripliceæ, 83, 84.
 Auditing Committee, 233.

B.

Bæria, 195.
chrysostoma, 195.
Fremontii, 195.
gracilis, 195.
maritima, 195.
platycarpha, 195.
tenerrima, 195.
uliginosa, 196.
Bahia Bigelovii, 199.
bitemata, 198.
pedata, 198.
rubella, 198.
Wallacei, 198.
Baileya, 195.
Bartlettia, 206.
Batis vermiculata, 86.
 Biographical Notices:—
 Joseph Hale Abbott, 238.
 Louis Agassiz, 310.
 John Bachman, 330.
 Michel Chasles, 344.
 H. James Clark, 328.
 Auguste Arthur de la Rive,
 356.
 Charles Delaunay, 297.
 Philippe Edouard Pouletier de
 Verneuil, 342.
 Charles Folsom, 237.
 James Hadley, 259.
 P. A. Hansen, 351.
 Christopher Hansteen, 282.
 Albert Hopkins, 234.
 Wilhelm von Kaulbach, 345.
 Francis Lieber, 245.
 Justus Liebig, 278.
 P. C. H. Louis, 308, 337.
 George Gordon Meade, 253.
 John Stuart Mill, 285.
 Henry C. Perkins, 240.

Biographical Notices:—
 Ira Perley, 331.
 John Bulkley Perry, 321.
 Willard Phillips, 324.
 Jean Victor Poncelet, 337.
 Hiram Powers, 332.
 Jacques Adolphe Lambert Que-
 telet, 355.
 William John Macquorn Ran-
 kine, 276.
 John Lewis Russell, 321.
 James Savage, 241.
 Adam Sedgwick, 279.
 William Starling Sullivan,
 271.
 Charles Sumner, 325.
 Sylvanus Thayer, 235.
 John Torrey, 262.
 Daniel Treadwell, 234, 301.
Biotite, 37, 46.
 Analysis of, 58.
Blennosperma, 200, 206.
Blepharipappus scaber, 192, 193.
Blitum, 83, 84, 99.
 Bonus-Henricus, 101.
 Californicum, 101.
 capitatum, 100.
 glaucum, 101.
 maritimum, 100.
 Nuttallianum, 102.
 polymorphum, 100.
 rubrum, 99, 101.
Bush, J. G., Analysis of Jefferisite,
 46.
Burrielia, 195.
chrysostoma, 196.
Fremontii, 196.
gracilis, 196.
lanosa, 198.
longifolia, 196.
maritima, 196.
nivea, 197, 198.
parviflora, 196.
platycarpha, 196.
tenerrima, 196.

C.

Calais, 207.
aphantocarpha, 209.
Bigelovii, 209.
Bolanderi, 209.
cyclocarpha, 210.
Douglasii, 209, 210, 211.
eriocarpha, 210.
glauca, 209.

- Calais graciloba*, 208.
 laciniata, 209.
 Lindleyi, 211.
 linearifolia, 211.
 macrochaeta, 211.
 major, 208.
 nutans, 208.
 Parryi, 209.
 platycarpa, 210.
 sylvatica, 208.
 tenella, 209.
Calliachyris Fremontii, 193.
Callichroa, 193.
Calliglossa, 193.
Calligonum canescens, 120.
Calycadenia, 189.
 cephalotes, 192.
 Fremontii, 191.
 mollis, 191.
 multiglandulosa, 192.
 pauciflora, 191.
 plumosa, 190, 192.
 tenella, 191.
 truncata, 192.
 villosa, 192.
Carphephorus junceus, 207.
Chenactis, 200.
 carphoclinia, 200.
Chatadelpa, 218.
 Wheeleri, 218.
Chæthymenia, 194.
Chenopodiaceæ, Revision of, 82.
Chenopodiæ, 83, 84.
Chenopodina, 87.
 depressa, 89.
 linearis, 87, 88, 90.
 maritima, 87, 88, 90.
 Moquini, 88.
 prostrata, 89.
Chenopodium, 84, 93.
 album, 94, 95, 96.
 ambrosioides, 98.
 Americanum, 89.
 anthelminticum, 98, 101.
 aristatum, 91.
 Berlandieri, 95.
 Bonus-Henricus, 101.
 Boscianum, 94.
 Botrys, 98.
 calceoliforme, 89.
 carnosulum, 99.
 ficifolium, 96.
 Fremontii, 94, 99.
 glaucum, 101.
 humile, 100.
 hybridum, 96.
Chenopodium lanceolatum, 96.
 leptophyllum, 94.
 maritimum, 87, 88.
 multifidum, 99.
 murale, 97.
 olidum, 95.
 polyspermum, 94, 96.
 radiatum, 92.
 rhombifolium, 97.
 rubrum, 100, 107.
 salsum, 88.
 spinosum, 122.
 subspicatum, 96, 107.
 urbicum, 97.
 Virginicum, 91.
 zosteræfolium, 95, 109.
Cirsium, 207.
Cnicus, 207.
Coinogyne, 194.
 carcosa, 194.
Committees, 231, 232, 233, 308, 309.
Communications from Messrs.
 Cooke, J. P., 35, 301.
 Farlow, W. G., 68, 302.
 Gray, Asa, 187.
 Hayes, A. A., 78, 308.
 Lovering, Joseph, 300, 301.
 Pickering, E. C., 1, 222, 300.
 Peirce, B., 228, 309.
 Rogers, W. A., 127, 300, 309.
 Shaler, N. S., 302.
 Sharples, S. P., 219, 309.
 Trowbridge, John, 301.
 Washburn, E., 31.
 Watson, S., 82, 308.
Compositæ, Notes on, 187.
Conic Sections, Graphical Method applied to, 225.
Cooke, J. P., Atomic Weight of Antimony, 299.
Corispermæ, 83, 85.
Corispermum, 85, 122.
 Americanum, 123.
 hyssopifolium, 123.
Corrosion of Tin, 210.
Corundum, Dr. Genth upon, 44, 56.
Council, Members of, 232.
Crepis acuminata, 215.
 Cooperi, 214.
 occidentalis, 215.
Crocidium, 206.
Crossley, Analysis of Vermiculite, 35.
Cryptopleura Californica, 216.
Culsageeite, 36, 48.

Culsageeite, Analyses of, 57.
 Cyclolepis platyphylla, 92.
 Cyclolobeæ, 84.
 Cycloloma, 84, 91.
 platyphyllum, 92.

D.

Damourite, 39.
 Damourites, 39.
 Analysis of, 40.
 Dichæta, 196.
 Fremontii, 196.
 tenella, 197.
 uliginosa, 197.
 Diotis lanata, 121.
 Donations received, 301, 302.
 Dubautia, 207.
 Dysodia, 200.
 anthemidifolia, 201.
 porophylloides, 201.

E.

Egyptian Hieroglyphics, Transfer
 of, 302.
 Endolepis Suckleyana, 110.
 Erythremia, 217.
 Espejoa, 194.
 Eurotia, 82, 84, 121.
 ceratoides, 121.
 lanata, 121.
 Everett, W., on Roman family
 names, 301.
 Expert Testimony, Committee up-
 on, 300.
 Report upon, 31.
 Action upon report, 300.

F.

Fellows deceased:—
 Louis Agassiz, 301, 310.
 John Bachman, 303, 310.
 H. J. Clark, 299, 310.
 John B. Perry, 310.
 Willard Phillips, 299, 310.
 Ira Perley, 303, 310.
 John L. Russell, 298, 310.
 Charles Sumner, 310.
 Fellows elected:—
 C. O. Boutelle, 233.
 H. P. Bowditch, 233.

Fellows elected:—

Charles H. Davis, 232.
 George Lincoln Goodale, 302,
 310.
 N. St. J. Green, 233.
 George W. Hill, 232.
 George S. Hillard, 300, 310.
 Ebenezer Rockwood Hoar, 310.
 H. H. Hunnewell, 233.
 C. L. Jackson, 233.
 J. M. Merrick, 233.
 W. R. Nichols, 233.
 James E. Oliver, 232.
 William T. Roepper, 234.
 C. E. Brown-Séguard, 232.
 W. W. Story, 232.
 Finance Committee, 232.
 Foreign Honorary Members de-
 ceased:—
 Michel Chasles, 310.
 Auguste de la Rive, 301, 310.
 Philippe Edouard Pouletier de
 Verneuil, 298, 310.
 P. A. Hansen, 310.
 Christopher Hansteen, 298.
 Wilhelm von Kaulbach, 310.
 P. C. H. Louis, 303, 310.
 Carl Friedrich Naumann, 301.
 Jean Victor Poncelet, 303, 310.
 Jacques Adolphe Lambert Que-
 telet, 303, 308, 310.
 Foreign Honorary Members elect-
 ed:—
 Francesco Brioschi, 302, 310.
 R. J. E. Clausius, 231, 299, 310.
 Charles Darwin, 302, 308, 310.
 Charles de Rémusat, 300, 310.
 J. H. W. Döllén, 234.
 William Ewart Gladstone, 302,
 303, 310.
 Benjamin Jowett, 234.
 James Martineau, 234.
 Theodor Mommsen, 234
 C. F. Naumann, 231, 310.
 Karl F. Rammelsburg, 234.
 George Gabriel Stokes, 302,
 308, 310.
 James Joseph Sylvester, 231,
 299, 310.
 William Thomson, 234, 303.
 Friedrich Wöhler, 300, 302,
 310.
 Fremontia vermicularis, 86.
 Fresnel's Formula, Application of,
 1.
 Fuchsite, Analysis of, 42.

G.

- Gaillardia fimbriata*, 204.
Genth on Corundum, 44, 56.
Geology of Martha's Vineyard, 302.
Glass, Polarization by, 21.
Glyptopleura, 209.
 marginata, 211.
 setulosa, 211.
Graphical Method, Application of, 222.
Grayia, 82, 85, 121.
 polygaloides, 122.
 spinosa, 122.

H.

- Hallite*, 37, 59.
 Analyses of, 60.
Halopeplis, 125.
Halostachys, 125.
 occidentalis, 126.
Harpæcarpus, 187.
 exiguus, 189.
 madarioides, 189.
Hartmannia, 190.
 ciliata, 192.
 corymbosa, 191.
 fasciculata, 191.
 pungens, 191.
Haughton, Prof., Analyses of Damourite, 41.
Hecubæa, 201, 205.
 scorzoneræfolia, 205.
Heleniæ, 194.
Helenioides, 194.
Helenium, 201, 202.
 amphibolum, 202.
 atropurpureum, 203.
 autumnale, 202, 204.
 Bigelovii, 204.
 Bolanderi, 204.
 brevifolium, 205.
 Curtisii, 204.
 elegans, 202.
 fimbriatum, 204.
 grandiflorum, 204.
 heterophyllum, 202.
 Hoopesii, 201, 205.
 laciniatum, 203.
 lanatum, 205.
 Mexicanum, 202, 203.
 micranthum, 203.
 microcephalum, 202, 203.
 montanum, 204.

Helenium nudiflorum, 202, 203.

- Nuttallii*, 204.
 ooclinium, 202.
 parviflorum, 203.
 puberulum, 203.
 quadridentatum, 202.
 scorzoneræfolium, 205.
 Seminariense, 203.
 tenuifolium, 203.
 Texanum, 202.
 varium, 203.
 vernale, 205.
Hemizonella, 189.
 Durandi, 189.
 minima, 189.
 parvula, 189.
Hemizonia, 189, 191.
 angustifolia, 190.
 balsamifera, 190.
 ciliata, 192.
 congesta, 191.
 corymbosa, 190.
 decumbens, 190.
 Douglasii, 192.
 Durandi, 189.
 fasciculata, 190.
 filipes, 192.
 Fitchii, 191.
 Fremontii, 191.
 glomerata, 190.
 luzulæfolia, 191.
 macradenia, 190.
 macrocephala, 190.
 minima, 189.
 mollis, 191.
 multicaulis, 190.
 multiglandulosa, 192.
 parvula, 189.
 pauciflora, 191.
 plumosa, 192.
 pungens, 190.
 ramosissima, 190.
 rudis, 191.
 sericea, 192.
 tenella, 191.
 truncata, 192.
 virgata, 190.
Hieracium Californicum, 214.
Hopkirkia anthemoidea, 199.
Hunt, T. S., on artificial stone, 303.
Hymenonema glaucum, 209.
 laciniatum, 209.
Hymenothrix, 200.
 Wislizeni, 200.
 Wrightii, 200.

Hymenoxys Californica, 197.
calva, 198.
mutica, 198.

J.

Jaumea, 194.
Jaumica, 194.
Jefferisite, 37, 44.
 Analyses of, 46.

K.

Kochia, 83, 84, 92.
Americana, 93.
atriplicifolia, 92.
dentata, 92.
dioica, 93, 95, 110.
prostrata, 93.

L.

Laphamia dissecta, 195.
Layia, 193.
calliglossa, 193.
carnosa, 193.
chrysanthemoides, 192, 194.
Douglasii, 194.
elegans, 193.
Fremontii, 193.
gaillardiioides, 193.
glandulosa, 193.
heterotricha, 193.
hieracioides, 193.
pentachæta, 193.
platyglossa, 193.
Legacies, 299.
Leptopoda, 201, 204.
brachypoda, 203.
brevifolia, 204, 205.
decurrens, 204.
denticulata, 204.
fimbriata, 204.
Helenium, 204.
incisa, 204.
integrifolia, 204.
pinnatifida, 205.
puberula, 205.
Leptoseris, 213.
sonchoides, 214.
Leucoseris, 214.
Californica, 214.
saxatilis, 214.
tenuifolia, 214.

Library Committee, 233.
Linosyris squamata, 207.
Lissajous' Curves, Graphical
 Method applied to, 226.
Lovering, J., on Proper Motion of
 Stars, 300.
Luina, 206.
hypoleuca, 206.
Lygodesmia, 216.
aphylla, 217.
exigua, 217.
grandiflora, 217.
juncea, 217.
rostrata, 217.
spinosa, 217.

M.

Macrorhynchus, 215.
angustifolius, 216.
Chilensis, 216.
cynthioides, 216.
Harfordii, 216.
humilis, 216.
Lessingii, 216.
purpureus, 216.
retrorsus, 216.
Madaria, 187.
corymbosa, 187.
elegans, 187.
Madariopsis, 188.
Madaroglossa, 193.
Madia, 187.
Bolanderi, 188.
capitata, 188.
elegans, 188.
filipes, 189.
glomerata, 189.
Nuttallii, 188.
radiata, 188.
sativa, 188.
Madia, 187.
Madorella, 187.
dissitiflora, 189.
racemosa, 189.
Magnetic force, Graphical Method
 applied to, 225.
Malacomeris, 212, 215.
incana, 215.
Malacothrix, 212.
Californica, 212, 213.
commutata, 212, 214.
Coulteri, 212, 213.
crepioides, 214, 215.
Fendleri, 212, 213.

- Malacothrix incana*, 215.
 obtusa, 212, 214.
 paryiflora, 214.
 platyphylla, 214.
 saxatilis, 214.
 sonchoides, 212, 213, 214.
 tenuifolia, 214.
 Torreyi, 212, 213.
 Xanti, 213.
 Martha's Vineyard, Geology of, 302.
 Maskelyne, Prof., on Asmanite, 63.
 Members, Foreign Honorary. *See*
 Foreign Honorary Members.
 Memorial on State Survey, 184.
 Micas, Relations of Vermiculites to,
 35.
 Senarmont on, 65.
 Analysis of, 42.
Microseris, 207.
 aphantocarpa, 208, 209.
 Bigelovii, 209.
 cyclocarpa, 210.
 Douglasii, 210.
 Forsteri, 209.
 laciniata, 209.
 leptophylla, 209.
 Lindleyi, 210.
 linearifolia, 211.
 macrochæta, 211.
 major, 208.
 nutans, 208.
 Parryi, 209.
 platycarpa, 210.
 pygmæa, 209.
 sylvatica, 208.
 troximoides, 211, 215.
Monolepis, 83, 84, 102.
 chenopodioides, 83, 102.
 Nuttalliana, 102.
 pusilla, 102.
 spathulata, 102.
 Munroe, C. E., Analysis of Da-
 mourite, 40.
 of Hallite, 60.
 Myxine, 301.

N.

- Nicolletia*, 200.

O.

- Obione acanthocarpa*, 117, 118.
 arenaria, 112.
 argentea, 115, 116.

- Obione Barclayana*, 113, 118.
 Berlandieri, 120.
 bracteosa, 115.
 canescens, 116, 118, 120.
 confertifolia, 119.
 Coulteri, 113.
 cristata, 114.
 elegans, 113, 114.
 hymenelytra, 120.
 lentiformis, 118.
 leucophylla, 117.
 microcarpa, 112.
 occidentalis, 120, 121.
 phyllostegia, 108.
 polycarpa, 117.
 pusilla, 110.
 radiata, 114.
 spinosa, 119.
 Suckleyana, 111.
 tetraptera, 120.
 Torreyi, 119.
 truncata, 111.
 Ocean Lanes for Steamships, 228.
 Officers elected, 232.
Osmadenia, 191.
 tenella, 191.
Oxylepis, 201, 205.
 lanata, 205.
Oxyura, 193.
 chrysanthemoides, 192, 194.

P.

- Periodic Errors of the Transit Cir-
 cle, 127.
 Periodic Functions, Graphical
 Method applied to, 226.
 Perityle, 194.
 Emoryi, 195.
 nuda, 195.
 Phlogopite, 37.
 Polarimeter, New Form of, 298.
 Polarization, Sky, 16.
 by Glass, 21.
Prenanthes exigua, 217.
 Proceedings, Form of Publication,
 299.
Psathyrotes, 206.
 scaposa, 206.
 Schottii, 206.
Psilochaenia, 215.
Pteris Cretica, Asexual Prothallus
 Growth, 68.
Pterochiton canescens, 120.
 occidentale, 120.

- Ptilomeris*, 197.
 affinis, 198.
 anthemoides, 198.
 aristata, 197.
 coronaria, 197.
 mutica, 198.
 tenella, 198.
 Public Park in Boston, 309.
 Publication Committee, 233, 298.
 Putnam, F. W., on *Myxine*, 300.
 Transfer of Hieroglyphics, 302.

R.

- Raillardella*, 207.
 argentea, 207.
 scaposa, 207.
Raillardia, 207.
 Reflection of Light, Applications of
 Fresnel's Formula, 1.
 Reports, 31, 231, 233, 298, 300, 310.
 Resistance of Air, Graphical Method
 applied to, 225.
Riddellia, 195.
Riddellieæ, 194, 195.
 Right Ascensions, Periodic Errors
 of, 127.
Ripidolite, Analyses of, 50.
 Roman Family Names, 301.
 Rose, H., Analysis of Mica, 42.
Roubieva, 84, 99.
 ambrosioides, 98.
 anthelmintica, 98, 101.
 multifida, 99.
 Rumford Committee, 231, 232.
 Appropriations by, 298.
 Rumford Medals, Award, 231.
 Presentation, 303.
 Rutherford, Lewis M., and Rum-
 ford Medals, 231, 303.

S.

- Salicornia*, 85, 123.
 ambigua, 125.
 Bigelovii, 124.
 fruticosa, 125.
 herbacea, 124, 125.
 mucronata, 124.
 radicans, 125.
 Virginica, 124.
Salicornieæ, 85.
Salsola, 83, 85.
 Atriplicis, 92.

- Salsola atriplicifolia*, 92.
 Caroliniana, 85.
 depressa, 89.
 dioica, 118.
 Kali, 85.
 latifolia, 92.
 linearis, 87.
 platyphylla, 92.
 prostrata, 89.
 radiata, 92.
 salsa, 87, 89.
 Soda, 85.
 Tragus, 85.
Sarcobatus, 83, 84, 86.
 Maximiliani, 86.
 vermiculatus, 86.
 Schafhäütl, Analysis of Fuchsite,
 42.
Schkuhria, 198.
 Bigelovii, 199.
 bitermata, 199.
 Hopkirkii, 199.
 integrifolia, 199.
 Neo-Mexicana, 199.
 pedata, 199.
 Woodhousei, 199.
 Wrightii, 199.
Schoberia, 87.
 Americana, 89.
 calceoliformis, 89.
 occidentalis, 90.
Sclærocarpus exiguus, 189.
Scorzonella, 208.
 laciniata, 209.
 leptosepala, 209.
 nutans, 208.
 sylvatica, 208.
 Senarmont, H. de, on Micas, 65.
 Sharples, S. P., on Zinc Crystals,
 301.
 on Pond Water, 299.
Shortia Californica, 197.
 Sky Polarization, 16.
 Smith, J. L., Analyses of *Ripido-*
 lite, 50.
Sonchus Californicus, 214.
Spirolobeæ, 83.
Spirostachys, 85, 125.
 occidentalis, 125.
 Ritteriana, 125.
 Stars, Proper Motion determined,
 300, 301.
 State Scientific Survey, Memorial
 on, 184.
 Action upon, 308, 309.
 Statutes, Change adopted, 231.

Steamships, Ocean Lanes for, 228.
 Stephanomeria, 217.
 intermedia, 208.
 Sterlingite, 39, 43.
 Analysis of, 40.
 Stylopappus elatus, 216.
 grandiflorus, 216.
 laciniatus, 216.
 Suæda, 84, 87.
 calceoliformis, 89.
 Californica, 89.
 depressa, 89.
 diffusa, 88.
 fruticosa, 88, 89.
 linearis, 87, 88.
 maritima, 87, 88, 90.
 occidentalis, 90.
 prostrata, 89.
 suffrutescens, 88.
 Torreyana, 88.
 Survey, State, Memorial on, 184.
 Discussion upon, 308, 309.
 Svanberg, Analysis of Biotite, 46.

T.

Tanacetum, 203.
 potentilloides, 204.
 Sibiricum, 205.
 Teloxys, 84, 90.
 aristata, 91.
 cornuta, 91.
 Mandoni, 91.
 Test of natural waters, 78.
 Tetradychia, 207.

Tetradychia canescens, 207.
 squamata, 207.
 Tin Tank, Corrosion of, 219.
 Torsion Pendulum, Graphical Method applied to, 224.
 Trichoptilium, 206.
 Troximom, 215.
 apargioides, 216.
 aurantiacum, 215.
 Chilense, 216.
 cuspidatum, 211, 215.
 glaucum, 215.
 grandiflorum, 216.
 Nuttallii, 216.
 parviflorum, 215.
 retrosum, 216.
 roseum, 216.

U.

Uropappus grandiflorus, 211.
 heterocarpus, 211.
 linearifolius, 211.

V.

Vermiculites, 35.

W.

Waters, Natural, Practical test of, 78.
 Whitneya, 195.